L Number	Hits	Search Text	DB	Time stamp
1	0	(messag$3 forward$3 deliver$3) near (preferred prefer$5) same (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:49
2	0	(messag$3 forward$3 deliver$3) near (preferred prefer$5 filter$3) same (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:49
3	0	(messag$3 forward$3 deliver$3) near3 (preferred prefer$5 filter$3) same (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:50
4	34	(messag$3 forward$3 deliver$3) near3 (preferred prefer$5 filter$3) and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:51
8	18	(messag$3 forward$3 deliver$3) near3 (preferred prefer$5) and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:55
9	23	(messag$3 forward$3 deliver$3) near3 filter$3 and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:54
10	7	((messag$3 forward$3 deliver$3) near3 (preferred prefer$5) and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)) and ((messag$3 forward$3 deliver$3) near3 filter$3 and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:52
11	1	messag$3 near3 deliver$3 near3 (preferred prefer$5) and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:56
12	7	messag$3 with deliver$3 with (preferred prefer$5) and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:58
13	0	(e-mail email) near3 messag$3 with deliver$3 with (preferred prefer$5) and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:59

15	4	(e-mail email electeronic near mail) with deliver$3 with (preferred prefer$5) and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:01
14	4	(e-mail email) with deliver$3 with (preferred prefer$5) and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:59
16	8	(e-mail email electeronic near mail message) with deliver$3 with (preferred prefer$5) and filter$3 with incoming near (e-mail email electeronic near mail message) and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:02
17	8	(e-mail email electeronic near mail message) with deliver$3 with prefer$6 and filter$3 with incoming near (e-mail email electeronic near mail message) and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:02
-	2	"20010027478"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:00
-	58	709/206 and (deliver$3 transmit$4 send$3 receiv$3) near3 message and email adj address and telephone adj number and name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 15:56
-	58	709/206 and (deliver$3 transmit$4 send$3 receiv$3) near3 message and email near address and telephone near number and name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 15:58
-	31	709/206 and (deliver$3 transmit$4 send$3 receiv$3) near3 message and email near address and telephone near number same name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:02
-	3	709/206 and (deliver$3 transmit$4 send$3 receiv$3) near3 message and email near address same telephone near number same name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:05
-	3	709/206 and (deliver$3 transmit$4 send$3 receiv$3) near3 message and email near address with telephone near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:05
-	3	709/206 and email near address with telephone near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:05

-	5	709/206 and email near3 address with telephone near3 number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:07
-	1	709/245 and email near3 address with telephone near3 number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:07
-	35	709/$ and email near3 address with telephone near3 number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:18
-	3	707/104.1 and email near3 address with telephone near3 number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:19
-	5	707/102 and email near3 address with telephone near3 number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:20
-	38	707/$ and email near3 address with telephone near3 number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:22
-	1	(whole part) with email near3 address with telephone near3 number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:30
-	2	(whole part) with email near3 address with telephone near3 number with name and (@ad<20010103 @rlad<20010103)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:24
-	4	(whole part) with email near3 address with telephone near3 number with name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:25
-	7	structure with email near3 address with telephone near3 number with name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:26
-	3	(whole part) with email with (telephone number) with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:31

-	6	structure with email with (telephone number) with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:37
-	0	structure with (whole part) with email with (telephone number) with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:38
-	1	structure with (whole part) with email with (telephone number) with name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:38
-	0	structure same (whole part) same email with (telephone number) with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:38
-	15	(structure whole part) same email with (telephone number) with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:38
-	41	database same record same name same email same number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:05
-	22	database same record same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:06
-	3	(directory lookup combination combin$3) same database same record same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:09
-	8	707/$ and database same record and (directory lookup combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:10
-	8	707/$ and database same record and (directory lookup look near up combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:12
-	1	707/$ and database same record same (directory lookup look near up) and (combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:13

-		2	707/$ and database same (directory lookup look near up) and (combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:14
-		2	707/$ and (directory lookup look near up) and (combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:14
-		5	707/$ and (combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:15
-		4	379/$ and (combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:16
-		1	370/$ and (combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:17
-		11	709/$ and (combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:26
-		6	(combination combin$3) with name with email with (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:23
-		20	(combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:20
-		1	extract$ with name with email with (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:24
-		1	format$ with name with email with (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:32
-		1	706/$ and (combination combin$3) same name same email same (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:26

-	1	706/$ and (combination combin$3) same name same email same (telephone phone cell) and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:26
-	15	709/$ and (combination combin$3) same name same email same (telephone phone cell) and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:26
-	8	707/$ and (combination combin$3) same name same email same (telephone phone cell) and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:28
-	5	379/$ and (combination combin$3) same name same email same (telephone phone cell) and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:16
-	293	database and record and account near (holder owner subscriber) and (email e-mail) and number and name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:18
-	215	database and record and account near (holder owner subscriber) and (email e-mail) and number and name and forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:19
-	146	database and record and account near (holder owner subscriber) and (email e-mail) and (telephone phone cell cellular) near number and name and forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:20
-	73	database and record and account near (holder owner subscriber) and (email e-mail) near address and (telephone phone cell cellular) near number and name and forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:20
-	37	database and record and account near (holder owner subscriber) and (email e-mail) near address same (telephone phone cell cellular) near number same name and forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:21
-	20	database same record and account near (holder owner subscriber) and (email e-mail) near address same (telephone phone cell cellular) near number same name and forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:26
-	17	database same server same record and account near (holder owner subscriber) and (email e-mail) near address same (telephone phone cell cellular) near number same name and forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:22

-	11	database same record and account near (holder owner subscriber) and (email e-mail) near address same (telephone phone cell cellular) near number same name and forward$3 with (email e-mail) and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:29
-	55	database same record and (customer holder owner subscriber) and (email e-mail) near address same (telephone phone cell cellular) near number same name and forward$3 with (email e-mail) and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:29
-	7	database same record and (customer holder owner subscriber) and (email e-mail) near address same (telephone phone cell cellular) near number same name same forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:37
-	853	name with (e-mail email) with (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:33
-	158	database same record same server and name with (e-mail email) with (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:33
-	92	database same record same server and (owner subscriber holder) and name with (e-mail email) with (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:34
-	58	directory and database same record same server and (owner subscriber holder) and name with (e-mail email) with (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:35
-	70	(directory lookup look-up) and database same record same server and (owner subscriber holder) and name with (e-mail email) with (telephone phone cell) with number and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:35
-	68	database and (user account near (holder owner) subscriber) and (email e-mail) near address with (telephone phone cell cellular) near number with name and forward$3 with (email e-mail) and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:38
-	14	database same (user account near (holder owner) subscriber) and (email e-mail) near address with (telephone phone cell cellular) near number with name same forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:42
-	15	database and (user account near (holder owner) subscriber) and (email e-mail) near address with (telephone phone cell cellular) near number with name same forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:39

-	14	database same (user holder owner subscriber) and (email e-mail) near address with (telephone phone cell cellular) near number with name same forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:43
-	1	370/$ and (email e-mail) near address with (telephone phone cell cellular) near number with name same forward$3 and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:44
-	102	370/$ and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:49
-	11	370/$ and account same (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:45
-	64	370/$ and (email e-mail) near address near5 (telephone phone cell cellular) near number near5 name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:48
-	44	370/$ and (email e-mail) near address near3 (telephone phone cell cellular) near number near3 name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:48
-	25	370/$ and messag$3 near deliver$3 and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:53
-	28	379/$ and messag$3 near deliver$3 and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:50
-	27	370/$ and messag$3 near3 deliver$3 and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:55
-	39	379/$ and messag$3 near3 deliver$3 and (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:58
-	43	379/$ and (messag$3 forward$3 deliver$3) same (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:59

-	102	(messag$3 forward$3 deliver$3) same (email e-mail) near address with (telephone phone cell cellular) near number with name and (@ad<20000105 @rlad<20000105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:48